



Gdansk, 2023-01-27

**CERTIFICATE OF ANALYSIS No. S/CL/91d/23**

<b>Customer</b>	Cannastra s.r.o. Žižkova 708, Příbram 26101, Czech Republic		
<b>Basis for analysis</b> order number, contract number	<b>Subject of analysis</b> sample matrix		<b>Condition of samples</b> correct / incorrect - according to I-01/PO-03 instruction
Z/CL/91/23	Dried plant		Correct
<b>Place of sampling</b> according to the Customer's information	<b>Date of sampling</b> according to the Customer's information	<b>Date of samples' delivery to the laboratory</b>	<b>Analysis completion date</b>
No data	No data	24.01.2023	27.01.2023
<b>Analyses conducted by:</b>		<b>Additional information</b>	
EkotechLAB R&D Laboratory Fiszera 14, 80-231 Gdańsk, Poland		None	

**Samples identification:**

No.	Sample labeling by Customer	Sample labeling by Laboratory
1.	HHC AMNESIA 40% / HHC COSMIC BLACKOUT 40%	158/23

**Results:**

No.	Sample code	Subject of determination	Method*	Result **	Unit
1.	158/23	Sum of CBD	PB-CL-2:2019/GC/NA	1.77	% (m/m)
2.		Sum of Δ9-THC	PB-CL-2:2019/GC/NA	0.1	% (m/m)
3.		9R Isomer	PB-CL-2:2019/GC/NA	33.8	% (m/m)
4.		9S Isomer	PB-CL-2:2019/GC/NA	18.6	% (m/m)
5.		Sum of HHC	PB-CL-2:2019/GC/NA	52.4	% (m/m)

The method No. assigned according to the formula: No. of test procedure / issue / date issued / analytical technique / A - accredited, NA - not accredited, P - performed by the subcontractor

\*

**Note: Concentrations are given on a dry weight basis**



mgr inż. Joanna Klein  
Kierownik ds. Jakości  
ekotechLAB

Prepared by: Aleksandra Osełkowska  
Instrumental Analysis Specialist

Authorized by: MSc. Eng. Joanna Klein  
Quality Manager

\*\* The measurement uncertainty is expressed at the customer's request, or when it is relevant for the interpretation of the results - as the expanded uncertainty at the probability level of 95% and the coverage factor  $k = 2$ , the given uncertainty does not include the sampling stage. The laboratory is not responsible for the sampling and transport stage. Without the written consent of the Laboratory, the test report may not be reproduced except in full. The results relate to the delivered samples only. The period for submitting a complaint is 14 days from the date of receipt of the report.

**THE END OF REPORT**